

## Armor Penetration Table By Christian Ankerstjerne

### German Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
7.92 mm									
7,92 mm K 98 k 7,92 mm K 41 7,92 mm K 43	S. m. K.	APCR	11.55 g	785 m/s	8 mm	3.5 mm	-	-	-
7,92 mm M G 13 7,92 mm M G 34 7,92 mm M G 42	S. m. K. H.	APCR	12.6 g	-	13 mm	7.5 mm	-	-	-
20 mm									
2 cm Kw K 30 and 38 2 cm Flak 30 and 38	2 cm Pzgr. 2 cm Pzgr. 40	AP APCR	148 g 100 g	780 m/s 1050 m/s	23 mm 40 mm	14 mm 20 mm	- -	- -	- -
28 mm									
s Pz B 41	2,8 cm Pzgr. 41	APCNR	121 g	1430 m/s	60 mm	40 mm	25 mm	-	-
37 mm									
3,7 cm Kw K 3,7 cm Pak	3,7 cm Pzgr. 3,7 cm Pzgr. 40	AP-HE APCR	0.685 kg 0.368 kg	745 m/s 1020 m/s	34 mm 64 mm	29 mm 31 mm	22 mm -	20 mm -	- -
3,7 cm Flak 18 3,7 cm Flak 36 3,7 cm Flak 37 3,7 cm Flak 43	3,7 cm Pzgr. 18	AP	0.685 kg	770 m/s	35 mm	28 mm	21 mm	17 mm	-
50 mm									
5 cm Kw K 5 cm Kw K 40	5 cm Pzgr. 5 cm Pzgr. 39 5 cm Pzgr. 40	AP-HE APC-HE APCR	2.06 kg 2.06 kg 0.925 kg	685 m/s 685 m/s 1050 m/s	53 mm 55 mm 94 mm	43 mm 47 mm 55 mm	32 mm 37 mm -	24 mm 28 mm -	- - -
5 cm Kw K 39 (L/60) 5 cm Pak 38	5 cm Pzgr. 5 cm Pzgr. 39 5 cm Pzgr. 40 5 cm Pzgr. 40/1 Stiel-Granate 42	AP-HE APC-HE APCR APCR HEAT	2.06 kg 2.06 kg 0.925 kg 1.07 kg -	835 m/s 835 m/s 1180 m/s 1130 m/s -	67 mm 69 mm 130 mm 116 mm 180 mm	57 mm 59 mm 72 mm 76 mm -	44 mm 48 mm 38 mm - -	34 mm 37 mm - - -	- - - - -

75 mm									
7,5 cm Kw K (L/24)	K. Gr. rot Pz	APCBC-HE	6.8 kg	385 m/s	41 mm	38 mm	35 mm	32 mm	30 mm
7,5 cm Stu K (L/24)	Gr. 38 HI	HEAT	4.5 kg	452 m/s			45 mm		-
	Gr. 38 HI/A	HEAT	4.4 kg	450 m/s			70 mm		-
	Gr. 38 HI/B	HEAT	4.57 kg	450 m/s			75 mm		-
	Gr. 38 HI/C	HEAT	4.8 kg	450 m/s			100 mm		-
7,5 cm Kw K 40 (L/43)	7,5 cm Pzgr. 39	APCBC-HE	6.8 kg	740 m/s	99 mm	91 mm	81 mm	72 mm	63 mm
7,5 cm Pak 40 (L/46)	7,5 cm Pzgr. 40	APCR	4.1 kg	920 m/s	126 mm	108 mm	87 mm	-	-
7,5 cm Kw K 40 (L/48)	Gr. 38 HI/B	HEAT	4.57 kg	450 m/s			75 mm		-
7,5 cm Stu K 40 (L/48)	Gr. 38 HI/C	HEAT	4.8 kg	450 m/s			100 mm		-
7,5 cm Pak 39 (L/48)									
7,5 cm Kw K 42 (L/70)	7,5 cm Pzgr. 39/42	APCBC-HE	6.8 kg	925 m/s	138 mm	124 mm	111 mm	99 mm	88 mm
7,5 cm Stu K 42 (L/70)	7,5 cm Pzgr. 40/42	APCR	4.75 kg	1120 m/s	194 mm	174 mm	150 mm	127 mm	106 mm
7,5 cm Pak 97/38 (L/36)	7,5 cm Gr. 38/97 HI/A (f)		4.40 kg		75 mm				-
	7,5 cm Gr. 38/97 HI/B (f)	HEAT	4.57 kg	450 m/s					-
	7,5 cm Gr. 15/38 HI/B (f)				90 mm				-
	7,5 cm Gr. 98/97 HI/C (f)		4.80 kg						-
7,5 cm Pak 41	7,5 cm Pzgr. 41 (HK)	APCNR	2.6 kg	1220 m/s	198 mm	172 mm	140 mm	-	-
	7,5 cm Pzgr. 41 (W)	APCNR	2.5 kg	1230 m/s	97 mm	80 mm	70 mm	60 mm	-
7,5 cm le I G 18	7,5 cm lgr. 38 HL/A	HEAT	3,1 kg	221 m/s	75 mm				-
	7,5 cm lgr. 38 HL/B	HEAT	3,5 kg	221 m/s	90 mm				-

76.2 mm									
7,62 cm Pak 36 (L/51)	7,62 cm Pzgr. 39 rot	APCBC-HE	7.6 kg	720 m/s	98 mm	92 mm	80 mm	72 mm	65 mm
	Gr. 38 HL/B	HEAT	-	450 m/s			75 mm		-
	Gr. 38 HL/C	HEAT	-	450 m/s			100 mm		-

88 mm									
8,8 cm Kw K 36 (L/56)	8,8 cm Pzgr.	APCBC-HE	9.5 kg	810 m/s	97 mm	93 mm	87 mm	80 mm	72 mm
8,8 cm Flak 36	8,8 cm Pzgr. 39	APCBC-HE	10.2 kg	773 m/s	120 mm	110 mm	100 mm	91 mm	84 mm
	8,8 cm Pzgr. 40	APCR	7.3 kg	930 m/s	170 mm	155 mm	138 mm	122 mm	110 mm
	8,8 cm Gr. 39 HI	HEAT	7.65 kg	600 m/s			90 mm		
8,8 cm Flak 41	8,8 cm Pzgr. 39-1	APCBC-HE	10 kg	980 m/s	194 mm	177 mm	159 mm	142 mm	127 mm
	8,8 cm Pzgr. 40	ACPR	7.3 kg	1125 m/s	237 mm	216 mm	192 mm	171 mm	152 mm
8,8 cm Kw K 43 (L/71)	8,8 cm Pzgr. 39/43	APCBC-HE	9.87 kg	1000 m/s	203 mm	185 mm	165 mm	148 mm	132 mm
8,8 cm Pak 43 (L/71)	8,8 cm Pzgr. 40/43	APCR	7.3 kg	1130 m/s	237 mm	217 mm	193 mm	170 mm	152 mm

105 mm									
s 10 cm K 18	10 cm Pzgr. rot	APCBC-HE	15.56 kg	805 m/s	164 mm	149 mm	133 mm	119 mm	109 mm
10,5 cm le F H 18 (L/28)	10 cm Pzgr.	AP-HE	14.0 kg	470 m/s	63 mm	59 mm	54 mm	50 mm	46 mm
10,5 cm Stu H 42 (L/28)	10 cm Gr. 39 HI/A	HEAT	12.3 kg	495 m/s			80 mm		
	10 cm Gr. 39 HI/B	HEAT	12.1 kg	495 m/s			90 mm		
	10 cm Gr. 39 HI/C	HEAT	12.35 kg	495 m/s			100 mm		

128 mm									
12,8 cm K 40 (L/61)	12,8 cm Pzgr.	APC-HE	26.35 kg	880 m/s	201 mm	176 mm	150 mm	132 mm	120 mm
12,8 cm Pak 80	12,8 cm Pzgr.	APC-HE	26.35 kg	860 m/s	189 mm	166 mm	143 mm	127 mm	117 mm
	12,8 cm Pzgr. 43	APCBC-HE	28.30 kg	845 m/s	187 mm	178 mm	167 mm	157 mm	148 mm
	Gr. 38 HI/C	HEAT	4.80 kg	450 m/s			100 mm		-

150 mm									
15 cm s I G 33	Gr. 39 HI/A	HEAT	25 kg	280 m/s	160 mm				
15 cm Stu H 43 (L/12)									
15 cm s F H 13 (L/17)	Gr. 39 HI/A	HEAT	25 kg	460 m/s	160 mm				
15 cm s F H 18 (L/29,5)	Gr. 39 HI/A	HEAT	25 kg	465 m/s	160 mm				

## Czechoslovak Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
3,7 cm Kw K 34 (t)	3,7 cm Pzgr. (t)	APC-HE	0.850 kg	675 m/s	35 mm	30 mm	23 mm	21 mm	
	3,7 cm Pzgr. (t) umg.	APC-HE	0.815 kg	675 m/s	34 mm	29 mm	25 mm	22 mm	
	3,7 cm Pzgr. 40	APCR	0.368 kg	980 m/s	60 mm	39 mm	-	-	
3,7 cm Kw K 38 (t)	3,7 cm Pzgr. (t)	APC-HE	0.850 kg	741 m/s	36 mm	31 mm	24 mm	22 mm	
	3,7 cm Pzgr. (t) umg.	APC-HE	0.815 kg	750 m/s	41 mm	33 mm	27 mm	24 mm	
	3,7 cm Pzgr. 40	APCR	0.368 kg	1050 m/s	64 mm	33 mm	-	-	
4,7 cm Pak (t)	4,7 cm Pzgr. 36 (t)	APC-HE	1.65 kg	782 m/s	54 mm	48 mm	41 mm	35 mm	
	4,7 cm Pzgr. 40	APCR	0.825 kg	1080 m/s	100 mm	59 mm	-	-	

## French Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
13,2 mm M G 271 (f)	13,2 cm Pzgr 821 (f)	APCR	52 g	800 m/s	90°: 22.5 mm 60°: 12 mm	90°: 14 mm 60°: 8 mm	- -	- -	- -
2,5 cm Pak 112 (f) (34 SA) 2,5 cm Pak 113 (f) (37 SA-L)	2,5 cm Pzgr. 114 (f)	APCR	320 g	920 m/s	35 mm	29 mm	20 mm	-	-
2,5 cm Kw K 121 (f) (35 SA)	2,5 cm Pzgr. 122 (f)	APCR	320 g	950 m/s	90°: 47 mm 60°: 35 mm 45°: 18 mm	90°: 40 mm 60°: 30 mm 45°: 16 mm	90°: 30 mm 60°: 20 mm 45°: 15 mm	-	- - -
3,7 cm Kw K 143 (f) (38 SA)	3,7 cm Pzgr. 146 (f)	AP	0.70 kg	705 m/s	29 mm	23 mm	16 mm	12 mm	-
3,7 cm Kw K 144 (f)	3,7 cm Pzgr. 144 (f)	-	0.39 kg	600 m/s	25 mm	19 mm	-	-	-
4,7 cm Kw K 173 (f)	4,7 cm Pzgr. 176 (f)	AP	1.62 kg	660 m/s	39 mm	33 mm	26 mm	20 mm	-
4,7 cm Pak 181 (f)	4,7 cm Pzgr. 178 (f)	APCBC	1.73 kg	855 m/s	57 mm	50 mm	42 mm	36 mm	-

## Russian Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
Gew 252 (r) Gew 253 (r) Gew 254 (r) Gew 255 (r) Zielfernrohr-Gew 256 (r) Selbstlade-Gew 257 (r) Selbstlade-Gew 258 (r) Selbstlade-Gew 259 (r) Selbstlade-Zielfernrohr-Gew 260 (r) Kar 453 (r) Kar 454 (r)	7,62 mm S m K H Br 265/36 (r)	APCR	12.1 g	780 m/s	90°: 18 mm 60°: 11 mm	-	-	-	-
12,7 mm MG 268 (r) 12,7 mm Flzg MG (r)	12,7 mm S m K 725/1 (r)  12,7 mm S m K L'Spur Br 727/26 (r)	APCR  APCR	51.9 g  43.7 g	860 m/s  895 m/s	90°: 22.5 mm 60°: 12.0 mm  90°: 20 mm 60°: 10 mm	-  -	-  -	-  -	-  -
14,5 mm Pz-Abwehr-Büchse 783 (r)	14,5 mm S m K H Br 945/36 (r)	APCR	64.2 g	1000 m/s	30 mm	25 mm	-	-	-
4,5 cm Kw K 184 (r)	Pzgr. (r)	-	1.43 kg	760 m/s	42 mm	35 mm	28 mm	23 mm	-
7,62 cm Kw K L/30,5	7,62 cm Pzgr. 39 rot	APCBC-HE	7.60 kg	575 m/s	72 mm	66 mm	58 mm	51 mm	-
7,62 cm Kw K L/41,5	7,62 cm Pzgr. 39 rot	APCBC-HE	7.60 kg	625 m/s	82 mm	75 mm	67 mm	60 mm	54 mm

This tables give the penetration figures of the most common German guns used to combat armored vehicles.

Some of the guns captured from other countries and pressed into German service are also listed.

Some of these guns saw limited used, while other, such as the Czechoslovak 37 mm and 47 mm guns, and the Russian 76.2 mm guns, became an integral part of the German arsenal.

When using the test results, it is important to bear in mind the following:

Test plates were placed at an angle of 60 degrees from horizontal, to simulate how perfect alignment is rarely possible in combat.

The tests from which the numbers were taken generally use high-quality armor plates and ammunition. Real numbers could therefore vary in combat conditions.

Some of the ammunition types were very rare. As the war progressed, German tungsten supplies became very low.

As a result, APCR ammunition production was either halted, or switched to less effective hardened steel.

## Armor Penetration Table By Christian Ankerstjerne

### German Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
7.92 mm									
7,92 mm K 98 k 7,92 mm K 41 7,92 mm K 43	S. m. K.	APCR	11.55 g	785 m/s	8 mm	3.5 mm	-	-	-
7,92 mm M G 13 7,92 mm M G 34 7,92 mm M G 42	S. m. K. H.	APCR	12.6 g	-	13 mm	7.5 mm	-	-	-
20 mm									
2 cm Kw K 30 and 38 2 cm Flak 30 and 38	2 cm Pzgr. 2 cm Pzgr. 40	AP APCR	148 g 100 g	780 m/s 1050 m/s	23 mm 40 mm	14 mm 20 mm	- -	- -	- -
28 mm									
s Pz B 41	2,8 cm Pzgr. 41	APCNR	121 g	1430 m/s	60 mm	40 mm	25 mm	-	-
37 mm									
3,7 cm Kw K 3,7 cm Pak	3,7 cm Pzgr. 3,7 cm Pzgr. 40	AP-HE APCR	0.685 kg 0.368 kg	745 m/s 1020 m/s	34 mm 64 mm	29 mm 31 mm	22 mm -	20 mm -	- -
3,7 cm Flak 18 3,7 cm Flak 36 3,7 cm Flak 37 3,7 cm Flak 43	3,7 cm Pzgr. 18	AP	0.685 kg	770 m/s	35 mm	28 mm	21 mm	17 mm	-
50 mm									
5 cm Kw K 5 cm Kw K 40	5 cm Pzgr. 5 cm Pzgr. 39 5 cm Pzgr. 40	AP-HE APC-HE APCR	2.06 kg 2.06 kg 0.925 kg	685 m/s 685 m/s 1050 m/s	53 mm 55 mm 94 mm	43 mm 47 mm 55 mm	32 mm 37 mm -	24 mm 28 mm -	- - -
5 cm Kw K 39 (L/60) 5 cm Pak 38	5 cm Pzgr. 5 cm Pzgr. 39 5 cm Pzgr. 40 5 cm Pzgr. 40/1 Stiel-Granate 42	AP-HE APC-HE APCR APCR HEAT	2.06 kg 2.06 kg 0.925 kg 1.07 kg -	835 m/s 835 m/s 1180 m/s 1130 m/s -	67 mm 69 mm 130 mm 116 mm 180 mm	57 mm 59 mm 72 mm 76 mm -	44 mm 48 mm 38 mm - -	34 mm 37 mm - - -	- - - - -

75 mm									
7,5 cm Kw K (L/24)	K. Gr. rot Pz	APCBC-HE	6.8 kg	385 m/s	41 mm	38 mm	35 mm	32 mm	30 mm
7,5 cm Stu K (L/24)	Gr. 38 HI	HEAT	4.5 kg	452 m/s	45 mm				-
	Gr. 38 HI/A	HEAT	4.4 kg	450 m/s	70 mm				-
	Gr. 38 HI/B	HEAT	4.57 kg	450 m/s	75 mm				-
	Gr. 38 HI/C	HEAT	4.8 kg	450 m/s	100 mm				-
7,5 cm Kw K 40 (L/43)	7,5 cm Pzgr. 39	APCBC-HE	6.8 kg	740 m/s	99 mm	91 mm	81 mm	72 mm	63 mm
7,5 cm Pak 40 (L/46)	7,5 cm Pzgr. 40	APCR	4.1 kg	920 m/s	126 mm	108 mm	87 mm	-	-
7,5 cm Kw K 40 (L/48)	Gr. 38 HI/B	HEAT	4.57 kg	450 m/s	75 mm				-
7,5 cm Stu K 40 (L/48)	Gr. 38 HI/C	HEAT	4.8 kg	450 m/s	100 mm				-
7,5 cm Pak 39 (L/48)									
7,5 cm Kw K 42 (L/70)	7,5 cm Pzgr. 39/42	APCBC-HE	6.8 kg	925 m/s	138 mm	124 mm	111 mm	99 mm	88 mm
7,5 cm Stu K 42 (L/70)	7,5 cm Pzgr. 40/42	APCR	4.75 kg	1120 m/s	194 mm	174 mm	150 mm	127 mm	106 mm
7,5 cm Pak 97/38 (L/36)	7,5 cm Gr. 38/97 HI/A (f)	HEAT	4.40 kg		75 mm				-
	7,5 cm Gr. 38/97 HI/B (f)		4.57 kg		450 m/s				
	7,5 cm Gr. 15/38 HI/B (f)		4.80 kg		90 mm				-
	7,5 cm Gr. 98/97 HI/C (f)								
	7,5 cm K.Gr. Pz.(p)	AP	6.8 kg	570 m/s	61 mm	58 mm	?	-	-
7,5 cm Pak 41	7,5 cm Pzgr. 41 (HK)	APCNR	2.6 kg	1220 m/s	198 mm	172 mm	140 mm	-	-
	7,5 cm Pzgr. 41 (W)	APCNR	2.5 kg	1230 m/s	97 mm	80 mm	70 mm	60 mm	-
7,5 cm le I G 18	7,5 cm lgr. 38 HL/A	HEAT	3,1 kg	221 m/s	75 mm				-
	7,5 cm lgr. 38 HL/B	HEAT	3,5 kg	221 m/s	90 mm				-

76.2 mm									
7,62 cm Pak 36 (L/51)	7,62 cm Pzgr. 39 rot	APCBC-HE	7.6 kg	720 m/s	98 mm	92 mm	80 mm	72 mm	65 mm
	Gr. 38 HL/B	HEAT	-	450 m/s	75 mm				-
	Gr. 38 HL/C	HEAT	-	450 m/s	100 mm				-

88 mm									
8,8 cm Kw K 36 (L/56)	8,8 cm Pzgr.	APCBC-HE	9.5 kg	810 m/s	97 mm	93 mm	87 mm	80 mm	72 mm
8,8 cm Flak 36	8,8 cm Pzgr. 39	APCBC-HE	10.2 kg	773 m/s	120 mm	110 mm	100 mm	91 mm	84 mm
	8,8 cm Pzgr. 40	APCR	7.3 kg	930 m/s	170 mm	155 mm	138 mm	122 mm	110 mm
	8,8 cm Gr. 39 HI	HEAT	7.65 kg	600 m/s	90 mm				
8,8 cm Flak 41	8,8 cm Pzgr. 39-1	APCBC-HE	10 kg	980 m/s	194 mm	177 mm	159 mm	142 mm	127 mm
	8,8 cm Pzgr. 40	ACPR	7.3 kg	1125 m/s	237 mm	216 mm	192 mm	171 mm	152 mm
8,8 cm Kw K 43 (L/71)	8,8 cm Pzgr. 39/43	APCBC-HE	9.87 kg	1000 m/s	203 mm	185 mm	165 mm	148 mm	132 mm
8,8 cm Pak 43 (L/71)	8,8 cm Pzgr. 40/43	APCR	7.3 kg	1130 m/s	237 mm	217 mm	193 mm	170 mm	152 mm

105 mm									
s 10 cm K 18	10 cm Pzgr. rot	APCBC-HE	15.56 kg	805 m/s	164 mm	149 mm	133 mm	119 mm	109 mm
10,5 cm le F H 18 (L/28)	10 cm Pzgr.	AP-HE	14.0 kg	470 m/s	63 mm	59 mm	54 mm	50 mm	46 mm
10,5 cm Stu H 42 (L/28)	10 cm Gr. 39 HI/A	HEAT	12.3 kg	495 m/s			80 mm		
	10 cm Gr. 39 HI/B	HEAT	12.1 kg	495 m/s			90 mm		
	10 cm Gr. 39 HI/C	HEAT	12.35 kg	495 m/s			100 mm		

128 mm									
12,8 cm K 40 (L/61)	12,8 cm Pzgr.	APC-HE	26.35 kg	880 m/s	201 mm	176 mm	150 mm	132 mm	120 mm
	12,8 cm Pzgr.	APC-HE	26.35 kg	860 m/s	189 mm	166 mm	143 mm	127 mm	117 mm
12,8 cm Pak 80	12,8 cm Pzgr. 43	APCBC-HE	28.30 kg	845 m/s	187 mm	178 mm	167 mm	157 mm	148 mm
	Gr. 38 HI/C	HEAT	4.80 kg	450 m/s			100 mm		-

150 mm									
15 cm s I G 33		HEAT	25 kg	280 m/s			160 mm		
15 cm Stu H 43 (L/12)	Gr. 39 HI/A								
15 cm s F H 13 (L/17)	Gr. 39 HI/A	HEAT	25 kg	460 m/s			160 mm		
15 cm s F H 18 (L/29,5)	Gr. 39 HI/A	HEAT	25 kg	465 m/s			160 mm		

## Czechoslovak Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
3,7 cm Kw K 34 (t)	3,7 cm Pzgr. (t)	APC-HE	0.850 kg	675 m/s	35 mm	30 mm	23 mm	21 mm	
	3,7 cm Pzgr. (t) umg.	APC-HE	0.815 kg	675 m/s	34 mm	29 mm	25 mm	22 mm	
	3,7 cm Pzgr. 40	APCR	0.368 kg	980 m/s	60 mm	39 mm	-	-	
3,7 cm Kw K 38 (t)	3,7 cm Pzgr. (t)	APC-HE	0.850 kg	741 m/s	36 mm	31 mm	24 mm	22 mm	
	3,7 cm Pzgr. (t) umg.	APC-HE	0.815 kg	750 m/s	41 mm	33 mm	27 mm	24 mm	
	3,7 cm Pzgr. 40	APCR	0.368 kg	1050 m/s	64 mm	33 mm	-	-	
4,7 cm Pak (t)	4,7 cm Pzgr. 36 (t)	APC-HE	1.65 kg	782 m/s	54 mm	48 mm	41 mm	35 mm	
	4,7 cm Pzgr. 40	APCR	0.825 kg	1080 m/s	100 mm	59 mm	-	-	



## French Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
13,2 mm M G 271 (f)	13,2 cm Pzgr 821 (f)	APCR	52 g	800 m/s	90°: 22.5 mm 60°: 12 mm	90°: 14 mm 60°: 8 mm	- -	- -	- -
2,5 cm Pak 112 (f) (34 SA) 2,5 cm Pak 113 (f) (37 SA-L)	2,5 cm Pzgr. 114 (f)	APCR	320 g	920 m/s	35 mm	29 mm	20 mm	-	-
2,5 cm Kw K 121 (f) (35 SA)	2,5 cm Pzgr. 122 (f)	APCR	320 g	950 m/s	90°: 47 mm 60°: 35 mm 45°: 18 mm	90°: 40 mm 60°: 30 mm 45°: 16 mm	90°: 30 mm 60°: 20 mm 45°: 15 mm	-	- - -
3,7 cm Kw K 143 (f) (38 SA)	3,7 cm Pzgr. 146 (f)	AP	0.70 kg	705 m/s	29 mm	23 mm	16 mm	12 mm	-
3,7 cm Kw K 144 (f)	3,7 cm Pzgr. 144 (f)	-	0.39 kg	600 m/s	25 mm	19 mm	-	-	-
4,7 cm Kw K 173 (f)	4,7 cm Pzgr. 176 (f)	AP	1.62 kg	660 m/s	39 mm	33 mm	26 mm	20 mm	-
4,7 cm Pak 181 (f)	4,7 cm Pzgr. 178 (f)	APCBC	1.73 kg	855 m/s	57 mm	50 mm	42 mm	36 mm	-

## Russian Guns

Gun	Ammunition	Shot type	Weight	Muzzle velocity	Range				
					100 m	500 m	1000 m	1500 m	2000 m
Gew 252 (r) Gew 253 (r) Gew 254 (r) Gew 255 (r) Zielfernrohr-Gew 256 (r) Selbstlade-Gew 257 (r) Selbstlade-Gew 258 (r) Selbstlade-Gew 259 (r) Selbstlade-Zielfernrohr-Gew 260 (r) Kar 453 (r) Kar 454 (r)	7,62 mm S m K H Br 265/36 (r)	APCR	12.1 g	780 m/s	90°: 18 mm 60°: 11 mm	-	-	-	-
12,7 mm MG 268 (r) 12,7 mm Flzg MG (r)	12,7 mm S m K 725/1 (r)  12,7 mm S m K L'Spur Br 727/26 (r)	APCR  APCR	51.9 g  43.7 g	860 m/s  895 m/s	90°: 22.5 mm 60°: 12.0 mm  90°: 20 mm 60°: 10 mm	-  -	-  -	-  -	-  -
14,5 mm Pz-Abwehr-Büchse 783 (r)	14,5 mm S m K H Br 945/36 (r)	APCR	64.2 g	1000 m/s	30 mm	25 mm	-	-	-
4,5 cm Kw K 184 (r)	Pzgr. (r)	-	1.43 kg	760 m/s	42 mm	35 mm	28 mm	23 mm	-
7,62 cm Kw K L/30,5	7,62 cm Pzgr. 39 rot	APCBC-HE	7.60 kg	575 m/s	72 mm	66 mm	58 mm	51 mm	-
7,62 cm Kw K L/41,5	7,62 cm Pzgr. 39 rot	APCBC-HE	7.60 kg	625 m/s	82 mm	75 mm	67 mm	60 mm	54 mm

This tables give the penetration figures of the most common German guns used to combat armored vehicles.

Some of the guns captured from other countries and pressed into German service are also listed.

Some of these guns saw limited used, while other, such as the Czechoslovak 37 mm and 47 mm guns, and the Russian 76.2 mm guns, became an integral part of the German arsenal.

When using the test results, it is important to bear in mind the following:

Test plates were placed at an angle of 60 degrees from horizontal, to simulate how perfect alignment is rarely possible in combat.

The tests from which the numbers were taken generally use high-quality armor plates and ammunition. Real numbers could therefore vary in combat conditions.

Some of the ammunition types were very rare. As the war progressed, German tungsten supplies became very low.

As a result, APCR ammunition production was either halted, or switched to less effective hardened steel.